




**STOLIK NA WKRETY SYSTEM 2.0  
(80-99-01-149)**



Wkręty blokowane samogwintujące Ø 2.0



L(mm) REF

**T6** 6,7,8...13 **80-X-01-262-L**


14,16,18...40

L(mm) REF

**T6** 6,7,8...13 **80-X-01-260-L**

14,16,18...40

Wkręty korowe samogwintujące Ø 2.0



L(mm) REF

**T6** 4,5,6...12 **X-01-282-L**



14,16,18...38

L(mm) REF




**T6** 6,7,8...16 **80-X-01-45-L**

16,18,20...30




**STOLIK NA WKRĘTY SYSTEM 2.4/2.7  
(80-99-01-151)**






**Wkręty korowe  $\varnothing 2.4$   
samogwintujące**

-   $\varnothing 1.8$    
L(mm) REF
- T8** 8,10,12...40 **80-X-01-240-L**
-  L(mm) REF
- 8,10,12...60 **80-X-01-239-L**




**Wkręty korowe  $\varnothing 2.7$**

-   $\varnothing 2.0$    
L(mm) REF
- T8** 8,10,12...60 **80-X-01-216-L**
-  L(mm) REF
- 8,10,12...60 **80-X-01-48-L**



**Wkręty blokowane  $\varnothing 2.4$   
samogwintujące**

-   $\varnothing 1.8$    
L(mm) REF
- T8** 8,10,12...40 **80-X-01-208-L**
-  L(mm) REF
- 8,10,12...40 **80-X-01-200-L**


**Wkręty blokowane  $\varnothing 2.7$   
samogwintujące**

-   $\varnothing 2.0$    
L(mm) REF
- T8** 10,12,14...60 **80-X-01-209-L**
-  L(mm) REF
- 8,10,12...40 **80-X-01-201-L**

**STOLIK NA WKRETY SYSTEM 3.5  
(80-99-01-155)**



**Wkręty blokowane ø 2.7 samogwintujące**



**T8** L(mm) REF  
10,12,14...60 **80-X-01-209-L**

L(mm) REF  
8,10,12...40 **80-X-01-201-L**

**Wkręty korowe ø 3.5 samogwintujące**



**T15** L(mm) REF  
8,10,12...70 **80-X-01-221-L**  
75,80,85...90

L(mm) REF  
8,10,12...70 **80-X-01-51-L**  
75,80,85...90

**Wkręty blokowane ø 3.5 samogwintujące**



**T15** L(mm) REF  
10,12,14...60 **80-X-01-223-L**  
65,70,75...95

L(mm) REF  
10,12,14...60 **80-X-01-11-L**  
65,70,75...95

**Wkręty blokowane zmiennokątowe ø 3.5**



**T15** L(mm) REF  
10,12,14...60 **80-X-01-322-L**  
65,70,75...95