



PŁYTKA -TPLO-KOMPRESYJNO-BLOKOWANA  
TYTAN



L(mm)	Otworki	LEWA	PRAWA
31,5	5	80-1-25-32-05	80-1-25-33-05
38	6	80-1-25-32-06/1	80-1-25-33-06/1
46	6	80-1-25-32-06	80-1-25-33-06

Wkręty korowe  $\varnothing$  2.4 samogwintujące  
 $\varnothing$  1.8

L(mm) REF

**T8** 8,10,12...40 **80-X-01-240-L**

L(mm) REF

8,10,12...60 **80-X-01-239-L**

WIERTŁO  $\varnothing$  1.8

PROWADNIK WIERTŁA 80-4-57-192-00

RĘKOJEŚĆ 80-28-5-1

TRZPIEŃ

$\varnothing$  S2.5 80-28-5-3

**T8** T8 80-43-268-T8.115

Wkręty korowe  $\varnothing$  2.7 samogwintujące  
 $\varnothing$  2.0

L(mm) REF

**T8** 8,10,12...60 **80-X-01-216-L**

L(mm) REF

8,10,12...60 **80-X-01-48-L**

WIERTŁO  $\varnothing$  2.0

PROWADNIK WIERTŁA 80-4-57-192-00

RĘKOJEŚĆ 80-28-5-1

TRZPIEŃ

$\varnothing$  S2.5 80-28-5-3

**T8** T8 80-43-268-T8.115

Wkręty blokowane  $\varnothing$  2.4 samogwintujące  
 $\varnothing$  1.8

L(mm) REF

**T8** 8,10,12...40 **80-X-01-208-L**

L(mm) REF

8,10,12...40 **80-X-01-200-L**

WIERTŁO  $\varnothing$  1.8

PROWADNIK WIERTŁA 80-4-57-49-00

RĘKOJEŚĆ 80-28-5-1

TRZPIEŃ

$\varnothing$  S2.5 80-28-5-3

**T8** T8 80-43-268-T8.115

Wkręty blokowane  $\varnothing$  2.7 samogwintujące  
 $\varnothing$  2.0

L(mm) REF

**T8** 10,12,14...60 **80-X-01-209-L**

L(mm) REF

8,10,12...60 **80-X-01-201-L**

WIERTŁO  $\varnothing$  2.0

PROWADNIK WIERTŁA 80-4-57-74-00

RĘKOJEŚĆ 80-28-5-1

TRZPIEŃ

$\varnothing$  S2.5 80-28-5-3

**T8** T8 80-43-268-T8.115

Wkręty blokowane zmiennokątowe  $\varnothing$  2.4  
 $\varnothing$  1.8

L(mm) REF

**T8** 8,10,12...40 **80-X-01-298-L**

WIERTŁO  $\varnothing$  1.8

PROWADNIK WIERTŁA 80-4-57-171-01

RĘKOJEŚĆ 80-28-5-1

TRZPIEŃ 80-43-268-T8.115

Wkręty blokowane zmiennokątowe  $\varnothing$  2.7  
 $\varnothing$  2.0

L(mm) REF

**T8** 10,16,18...40 **80-X-01-325-L**


WIERTŁO  $\varnothing$  2.0

PROWADNIK WIERTŁA 80-4-57-171-02














RĘKOJEŚĆ 80-28-5-1

TRZPIEŃ 80-43-268-T8.115


### PŁYTKA -TPLO-KOMPRESYJNO-BLOKOWANA TYTAN



L(mm)	Otworki	LEWA	PRAWA
60	6	80-1-25-30-06/1	80-1-25-31-06/1
72	6	80-1-25-30-06	80-1-25-31-06
88	8	80-1-25-30-08	80-1-25-31-08

<b>Wkręty korowe Ø 3.5 samogwintujące</b>  Ø 2.5 L(mm) REF	<b>WIERTŁO</b> Ø2.5 	<b>Wkręty blokowane Ø 3.5 samogwintujące</b>  Ø 2.7 L(mm) REF	<b>WIERTŁO</b> Ø2.7 
	<b>T15</b> 8,10,12...70 <b>80-X-01-221-L</b> 75,80,85...90 L(mm) REF		<b>PROWADNIK WIERTŁA</b>  80-4-57-191-00 <b>RĘKOJEŚĆ</b>  80-28-5-1
<b>T15</b> 8,10,12...70 <b>80-X-01-51-L</b> 75,80,85...90	<b>TRZPIEŃ</b>  S2.5 80-28-5-3 <b>T15</b> T15 80-43-268-T15.115	<b>T15</b> 10,12,14...60 <b>80-X-01-11-L</b> 65,70,75...95	<b>TRZPIEŃ</b>  S2.5 80-28-5-3 <b>T15</b> T15 80-43-268-T15.115
<b>Wkręty blokowane zmiennokątowe Ø 3.5</b>  Ø 2.7 L(mm) REF	<b>WIERTŁO</b> Ø2.7 		
	<b>T15</b> 10,12,14...60 <b>80-X-01-322-L</b> 65,70,75...95	<b>PROWADNIK WIERTŁA</b>  80-4-57-171-03 <b>RĘKOJEŚĆ</b>  80-28-5-1 <b>TRZPIEŃ</b>  80-43-268-T15.115	

PŁYTKA -TPLO-KOMPRESYJNO-BLOKOWANA  
TYTAN




L(mm)	Otworki	LEWA	PRAWA
90	4	<b>80-1-25-244-90</b>	<b>80-1-25-250-90</b>
98	5	<b>80-1-25-244-98</b>	<b>80-1-25-250-98</b>


Wkręty korowe $\varnothing$ 4.5 samogwintujące $\varnothing$ 3.2		WIERTŁO $\varnothing$ 3.2		Wkręty blokowane $\varnothing$ 5.0 samogwintujące $\varnothing$ 3.7		WIERTŁO $\varnothing$ 3.7	
L(mm)	REF	80-4-40-08-32	L(mm)	REF	80-4-40-06-37	L(mm)	REF
<b>T25</b> 12,14,16...90	<b>80-X-01-218-L</b>	PROWADNIK WIERTŁA 80-4-57-57-00	<b>T25</b> 14,16,18...60	<b>80-X-01-222-L</b>	PROWADNIK WIERTŁA 80-4-57-54-00	<b>T25</b> 14,16,18...60	<b>80-X-01-17-L</b>
90,95,100...115	REF	RĘKOJEŚĆ 80-28-5-1	65,70,75...95	REF	RĘKOJEŚĆ 80-28-5-1	65,70,75...95	REF
L(mm)	REF	TRZPIEŃ	L(mm)	REF	TRZPIEŃ	L(mm)	REF
12,14,16...90	<b>80-X-01-04-L</b>	$\varnothing$ S3.5	14,16,18...60	<b>80-X-01-17-L</b>	$\varnothing$ S3.5	14,16,18...60	<b>80-X-01-17-L</b>
90,95,100...115		<b>T25</b> T25	65,70,75...95		$\varnothing$ S3.5	65,70,75...95	
		80-4-43-45-11			<b>T25</b> T25	80-4-43-45-11	
		80-43-268-T25.115			80-43-268-T25.115		

### PŁYTKA-TPLO-PROSTA KOMPRESYJNA

TYTAN | STAL




L(mm)	t1	t2	Otwory	Nr Kat.
45	8	7	6	<b>80-X-25-93-01</b>
52	11	11	6	<b>80-X-25-93-02</b>



### PŁYTKA-TPLO-PROSTA KOMPRESYJNA

TYTAN | STAL



L(mm)	t1	t2	Otwory	Nr Kat.
55	10	8	6	<b>80-X-25-94-01</b>
63	14	12	6	<b>80-X-25-94-02</b>
71	12	11	7	<b>80-X-25-94-03</b>
79	14	14	7	<b>80-X-25-94-04</b>

Wkręty korowe  $\varnothing$  2.4  
samogwintujące  
 $\varnothing$  1.8

L(mm) REF  
**T8** 8,10,12...40 **80-X-01-240-L**

L(mm) REF  
8,10,12...60 **80-X-01-239-L**

WIERTŁO  
 $\varnothing$  1.8

PROWADNIK  
WIERTŁA 80-4-57-192-00

RĘKOJEŚĆ 80-28-5-1

TRZPIEŃ  
S2.5 80-28-5-3  
**T8** T8 80-43-268-T8.115

Wkręty korowe  $\varnothing$  2.7  
samogwintujące  
 $\varnothing$  2.0

L(mm) REF  
**T8** 8,10,12...60 **80-X-01-216-L**

L(mm) REF  
8,10,12...60 **80-X-01-48-L**

WIERTŁO  
 $\varnothing$  2.0

PROWADNIK  
WIERTŁA 80-4-57-192-00

RĘKOJEŚĆ 80-28-5-1

TRZPIEŃ  
S2.5 80-28-5-3  
**T8** T8 80-43-268-T8.115

Wkręty korowe  $\varnothing$  3.5  
samogwintujące  
 $\varnothing$  2.5

L(mm) REF  
**T15** 8,10,12...70 **80-X-01-221-L**

L(mm) REF  
75,80,85...90  
8,10,12...70 **80-X-01-51-L**

WIERTŁO  
 $\varnothing$  2.5

PROWADNIK  
WIERTŁA 80-4-57-191-00

RĘKOJEŚĆ 80-28-5-1

TRZPIEŃ  
S2.5 80-28-5-3  
**T15** T15 80-43-268-T15.115